20R2 Customer Webinar Sites/CRAs/DMs/Coder

July 23, 2020





Sharon Lin
Principal Product Manager, Veeva CDMS



Cory Etzcorn

Product Manager, Veeva CDMS

CDMS Product Team



Dennis Kochanski Senior Product Manager, Vault CDMS



Mohammed Al-Adeeb
Senior Product Manager,
Vault CDMS



Quentin Paresys
Product Manager,
Vault CDMS




Rakesh Monassery
Senior Product Manager,
Vault CDMS

Important Disclosures

The following is intended to outline Veeva's general product direction. It is intended for informational purposes only and does not form part of any contract. It is not a commitment to deliver any specific functionality and it should not be relied upon in making purchasing decisions. Features and functions described in this document will be released commercially only when and if they become available. The development, release, and timing of the features or functionality of Veeva's products remains at the sole discretion of Veeva.



Interact With Us!





Veeva R&D and Quality

SUMMITONLINE

October 13-14, 2020



CLINICAL



Develop new industry partnerships




Share best practices



REGULATORY

Network with sponsors, CROs, & sites

Veeva Vault Release Schedule





20R2 Release Calendar

Sun	Mon	Tue	Wed	Thu	Fri	Sat
19	20	21 JUL	22	20R2 Release webinar 9 AM PT - All Customers 10 AM PT - Studio & Admin	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8
	Validation Docs 20R2 Pre - Release					
9	10	11	12	13	14	15
		AUG				
16	17	18	19	20	21	22
					20R2 General Release	





Pre-Release Environment

https://login.veevavault.com

- Clone of UAT
 - Special Request for Dev
- Users
 - Contact Veeva Post Implementation Manager to add users
- Available up to 4 weeks after the 20R2 upgrade

AUG

Monday 3rd

Validation Documents

- Validation Project Plan
- IOQ Protocols
- Business Requirements Documents
- Traceability Matrixes
- System Release Memo
- Executed OQ Scripts (unexecuted in Word format available upon request)

AUG

Monday 3rd



20R2 Go Live

- ALL customer vaults upgraded to 20R2
- EU starts at 2:00pm PT
- APAC & US starts at 5:00 PM PT
- May take up to 6 hours

AUG

Friday 21st



20R2 General Release Resources

- Resources Available
- https://cdmshelp.veeva.com/lr/rn/general-releases/20r2/
 - Important Dates
 - Notifications Opt-In
 - Feature information
 - Pre- Release Information
 - Release Information
 - Release Impact Assessment (RIA)



20R2 Feature Summary

Sites



- Restricted Data
- Delete Subject & Reset
 Event
- Study Closeout
- Translatable PDFs

CRAs/Data Managers



- Review UI Navigation Enhancement
- Review Functionality entirely in Review UI
- Performance Improvements
- Locking/Freezing
 Enhancements

Study Designer



- Cascading Form Deletion
- Form Copy Enhancements
- Copy Codelists and Units
- Validation Script for Rule Changes
- Template Vaults
- Relaxed Study Update Restrictions
- System Design Spec Enhancements
- Restricted Data Configuration
- Study Closeout Signature Def

Rules

- Query Future Dates for Events
- Query on Event Date out of Range
- Data Driven Review Plan
- Casebook Variables
- Rule Configurator
- Sequence Number in Expression

Admin



- Dynamic Review Plans by Subject Status or Percentage
- Deploy Vault Leve Configurations
- Vault Diff Report
- Delete Sites (Non-Production)
- Additional APIs
- Enhancements
- System Tools Change
 Reasons

Coding



- Upversioning Impact Report
- Group Coding Enhancements
- Navigation
 Enhancements
- Reconstitute Code
 Request Job
 Enhancement
- Coding Data viewable by LDM and DM

Extracts/Listings

- Extracts Data and Definition Enhancements
- Data Listings Restricted Data

CDB



Early Adopter

Labs



20R3

Randomization



20R3

Feature Enablement Detail

Auto-On Features	Configurable	Visible		
			SitesCRAsData ManagersClinical Assessments	
Auto-On	Configuration	Support	•Coders •Coder Admin	
Turned On Day 1	Turned Off	Turned Off	•Admins •Study Designers	
Automatically available	Requires Configuration	Requires Enablement	•Report Users •N/A	
*For New Studies Only		Product Support Request	1	





Sites

Restricted Data

Overview

Study designers can configure a study to restrict (hide) Forms.

As a user with Restricted Data Access, an icon will display next to any Forms, Events, or Subjects marked as restricted to raise awareness that visibility is restricted dependent on a Role/Permission. When viewing a casebook as a user without the Restricted Data Access permission, all Forms marked as Restricted will be hidden within Data Entry and the Review tabs.

Reports will automatically filter out Restricted records for user without access.

Note: The system will only allow restricted users to reset/delete data they have access to. Restricted Forms will be "Marked for Removal" if a user action triggers the removal of a Restricted Form that contains data. Unrestricted users can then reset these forms to remove them from the casebook.

Business Value

This feature will ensure that studies with blinded vs. unblinded data are supported with CDMS.





NEW STUDIES ONLY

Visible

SITES, CRAs, DATA MANAGERS, REPORT USERS

Restricted Access

New Studies ONLY - (Data Model v2 in 20R2)

NO Restricted Access Permission	w/ Restricted Access Permissions
Forms mark Restricted cannot be seen	Form mark Restricted can be seen and has a shield icon indicating that is was restricted
Delete an object (subject/Reset a Cycle/Reset a Visit) and there was a restricted form - the user view looks like it was all removed	Delete an object (subject/Reset a Cycle/Reset a Visit) and there was a restricted form - Object is "Marked for removal" with a yellow triangle and exclamation point. Banner appears - Form needs to be reset.
Reports and Dashboards - Restricted forms and Queries on restricted forms will not be included. Data Listings, Query Reports, Form reports, ie the Query and Form counts will be different than a user with Restricted Access.	Reports and Dashboards - Restricted forms and Queries on restricted forms will be included. Data Listings, Query Reports, Form reports, ie the Query and Form counts will be different than a user with Restricted Access.



Delete Subject & Event Reset Enhancements



Overview

When resetting an Event, site users must now select a Reason for Change in addition to typing in "RESET" to confirm the Event reset.


When deleting a Subject, site users with permission must now type in "DELETE" to confirm the Subject deletion.

Note: The system will also delete forms that contain data if they are not locked and frozen. This eliminates the need to reset each event prior to Subject deletion. For studies that contain Restricted Data, the system will only reset/delete forms that the user has access to.

Business Value

These enhancements add an additional layer of friction to ensure the site user does not unintentionally delete data. Additionally, these enhancements provide sites with a more streamlined process for deleting Subjects.







Visible

SITES



Translatable PDFs



Overview

All PDF generated by Vault are now translatable in the Blank, Detail, Annotated, and Clinical Assessment PDFs. Vault will use the user's language that was set in their user record to determine the language in which to create the PDF.

Note: User entered text will continue to display as it was entered into the system and will not translate automatically. For example if Form name was entered in English, it will display and print as English.

Business Value

Translatable PDFs will ensure documents are in the Sites Native language.

イベント	フォーム	イベント日付	ステータス	署名済み	クエリ	
isit 1		23-Jun-2020	進行中	未署名		
	Common Identifier Variables: Subject Identifier		送信済み	未署名		
	Disposition: Minor/Incapacitated Adult Informed Conse	ent	空白			
	Disposition: Study Informed Assent		空白	未署名 未署名		
	Demographics		空白			
	Subject Status: Visit 1		送信済み	未署名		
	Pre-Existing Conditions and Medical History		空白	未署名		
	Prespecified Medical History: Migraine		空白	未署名		
	Columbia-Suicide Severity Rating Scale (C-SSRS) Chi Baseline/Screening - Categories	ldren's	空白	未署名		
	Self-Harm Supplement Form		空白	未署名		
	Vital Signs: Visit 1		空白	未署名		
	Substance Use: Alcohol		空白	未署名		
	Substance Use: Tobacco		空白	未署名		
	Female Reproductive Status: Menstrual Status		空白	未署名		
isit 2	•		予定	未署名		

Visible

SITES, CRAs, DATA MANAGERS



Study Closeout


Configuration

Overview

Sponsors can make Closeout PDFs available to site users at the end of a study. Site users are notified via email when Closeout PDFs are available and can be reminded on an automated basis to log in and accept the file based on a cadence set by the sponsor. When ready, Sites can easily download and accept/reject Closeout PDFs. The downloading of PDFs will always be available throught the entirety of the study.

Business Value

Sites can easily download and accept end of study PDFs within the same system they used throughout the study.




Visible

SITES



Study Closeout Process



*If Site is unlocked, Closeout Process starts all over





Sites Demo





CRAs / Data Managers

Review UI Navigation Enhancements


AUTOMATIC


Overview

The Review tab now contains "My Studies" and "My Study Sites" sub-tabs. "My Studies" introduces a new navigational pattern to the Review UI that behaves similarly to the Data Entry tab. Users select a Study, then work with the selected study's Sites, Queries, and Jobs. "My Study Sites" continues to provide the same experience users have today. As part of these enhancements, the Queries and Study Jobs tabs were removed from "My Study Sites" and are only available within the new navigational pattern.

Business Value

The "My Studies" sub-tab provides the user with an alternative navigation pattern they are more familiar with.





Visible

CRAs, DATA MANAGERS



Review Functionality is in the Review Tab



Overview

All review functions typically performed by CRAs, monitors, and data managers have been removed from the Data Entry tab. Going forward, all review functions must be performed in the Review tab. These functions include:

- Source Data Verification (SDV)
- Data Management Review (DMR)
- Freezing
- Locking
- Opening & Closing Queries

Business Value

The Review tab offers a more streamlined user experience for review actions.

Visible

CRAs, DATA
MANAGERS



Performance Improvements

Overview

The Freeze & Lock icons have been removed from the Data Entry screen, but actions will still be disabled when Frozen or Locked. Vault will continue to display the current Freeze/Lock status of each Casebook, Event, Event Date, Form, and Item in the Review Tab.

New reports will be available for studies created after 20R2 as old Freeze/Lock reports will no longer work.

- Frozen Form Summary (v2) to be used in place of Standard Template: Frozen Form Summary
- Locked Form Summary (v2) to be used in place of Standard Template: Locked Form Summary
- Frozen Event Summarv
- Locked Event Summary
- Frozen Casebook Summary
- Locked Casebook Summary
- Comprehensive Form Summary (v2) to be used in place of Standard Template: Comprehensive Form Summary

For Studies created after 20R2, new reports have been added for reporting on Form, Event, and Casebook signed status. Previously used signature reports will no longer work.

- Form Signature Summary (v2) to be used in place of Standard Template: Form Signature Summary
- Event Signature Summary
- Casebook Signature Summary
- Comprehensive Form Summary (v2) to be used in place of Standard Template: Comprehensive Form Summary

Business Value

These changes provide better overall system performance when freezing/locking and when applying signatures and viewing signature statuses

Copyright © Veeva Systems 2020



NEW STUDIES ONLY

Visible

SITES, CRAs, DATA MANAGERS, REPORT USERS



Locking & Freezing Enhancements

AUTOMATIC

Overview

Parent/Child Relationships with Locking and Freezing

When you Lock or Freeze at the Parent Level, all the children beneath the Parent inherits that action. With the new enhancement you can unlock or unfreeze just one of the children below the parent after the inheritance.

For example, lock a Subject (parent), all the Forms (children) will be locked for that Subject. But now you can go in and unlock just one of those forms. Same for Freezing, Freeze a Form (parent), and all the items (child) will get frozen. But now I can just unfreeze one of the items.

Business Value

This will provide more flexibility for targeted use cases.



NEW STUDIES ONLY

Visible

SITES, CRAs, DATA MANAGERS. REPORT USERS



Sites & CRAs / Data Managers Demo





Coding

Upversioning Impact Report



Overview

The Upversioning Impact Report provides a preview of upversioning to a dictionary release before having to commit to that upversioning. You may generate it for any Form or Synonym List.

Business Value

This report can inform your decision to upversion to a particular dictionary release or to skip it. This can be helpful if your Study is locking soon and you want to evaluate the size of the impact on coding. It can also be valuable to understand what the changes are in the new dictionary releases and how the changes impact your coding paradigm and therapeutic area. Monitors can find this report as a useful summary to track and understand PT, SOC, and ATC changes. In some cases, Monitors may want to challenge the new coding paths.

k	~ ~ 🖶	7 100%	- \$	%	.0 .00 123	B → Defa	ult (Ari 🕶	10 🕶	B <i>I</i> S	<u>A</u> ❖ ⊞ ▼ ङ ▼ ± ▼ ❖	· V → GĐ 🚹	ii ▼ ▼ ∑ →				
ſχ																
	A	В	С	4)	E	F	G	Н	1	J	К	L	M	N	0	
1					Assigned Co	de in Targe	t Release									
	Impact =	Verbatim =	Count	₹I	LLT Code \Xi	LLT \Xi	PT Code 🙃	PT =	HLT Code	HLT	HLGT Code =	HLGT =	SOC Code =	soc =	Primary Path	$\bar{\tau}$
	Remapped	Collodion	20	1	10002960	Collodion	10002960	Apicectomy	10012317	Dental and gingival therapeutic procedure	s 10019190	Head and neck therapeutic procedures	10042613	Surgical and medical procedures	Y	
	Remapped	Collodion	3	1	10002960	Collodion	10002960	Apicectomy	10012317	Dental and gingival therapeutic procedure	s 10019190	Head and neck therapeutic procedures	10042613	Surgical and medical procedures	Υ	
	Remapped	Collodion	3	1	10002960	Collodion	10002960	Apicectomy	10012317	Dental and gingival therapeutic procedure	s 10019190	Head and neck therapeutic procedures	10042613	Surgical and medical procedures	Υ	
	Remapped	Collodion	3	1	10002960	Collodion	10002960	Apicectomy	10012317	Dental and gingival therapeutic procedure	s 10019190	Head and neck therapeutic procedures	10042613	Surgical and medical procedures	Υ	
	Remapped	Collodion	3	1	10002960	Collodion	10002960	Apicectomy	10012317	Dental and gingival therapeutic procedure	s 10019190	Head and neck therapeutic procedures	10042613	Surgical and medical procedures	Y	
	Remapped	Collodion	3	1	10002960	Collodion	10002960	Apicectomy	10012317	Dental and gingival therapeutic procedure	s 10019190	Head and neck therapeutic procedures	10042613	Surgical and medical procedures	Y	
	Noncurrent	Collodion	3													
0	Remapped	Collodion	3	1	10002960	Collodion	10002960	Apicectomy	10012317	Dental and gingival therapeutic procedure	s 10019190	Head and neck therapeutic procedures	10042613	Surgical and medical procedures	Y	
1	Remapped	Collodion	3	1	10002960	Collodion	10002960	Apicectomy	10012317	Dental and gingival therapeutic procedure	s 10019190	Head and neck therapeutic procedures	10042613	Surgical and medical procedures	Y	
12	Autocoded	Collodion	3	1	10002960	Collodion	10002960	Apicectomy	10012317	Dental and gingival therapeutic procedure	10019190	Head and neck therapeutic procedures	10042613	Surgical and medical procedures	Y	



CODER ADMIN



Group Coding Enhancements



Overview

Coding very large groups can take the system some time. To this end, we display an in-progress indicator so that you can see that the group is coding. Meanwhile, you can continue to code other groups. If you choose to recode a group while it is still in-progress of coding, you now have to wait until the task is complete before recoding.

When switching to Group Mode, we now display an in-progress indicator so that you know that the system is processing. This request to switch modes can be cancelled if you changed your mind and wanted to stay in the current mode.

Business Value

When coding very large groups or switching between Group Mode and List Mode, users can get needed feedback that the system is processing their request.



Visible

CODER



Navigation Enhancements


Automatic

Overview

All Coder pages now have breadcrumbs to improve navigation and this allows Coders to switch between Coding Forms while on the Verbatims Page. In addition, the homepage now has filters so that Coding Forms can be filtered by Study, Form, and Dictionary Release. Lastly, the Verbatims Page displays an informational banner that clearly displays the major attributes of the Coding Form.

Business Value

The navigational enhancements allow Coders to get to where they need quicker and with less clicks.



Visible

CODER



Reconstitute Code Requests Job Enhancement



Overview

Previously you had to run the Autocoding and Suggestions Job after running the Reconstitute Code Request Job. Now, running the Reconstitute Code Request Job will not only create and update Code Request based on new coding configurations, it will also attempt to autocode any of them that are pending coding.

Business Value

Users no longer have to remember to run the Autocoding and Suggestions Job right after running the Reconstitute Code Request Job. The system will take care of that for them.

Visible

Lead Data Manager



LDM and DM Can View Coding Data


Automatic

Overview

Lead Data Manager and Data Manager now have the permissions to read Coding data. They will be able to generate and view coding data in Reports, Dashboards, and any Extracts.

Business Value

LDM and DM can now inspect coding progress and decisions.



Visible

Data Managers





Coding Demo





Extracts & Listings

Data and Definition Export Enhancements



Overview

This job provides a full data and definition extract and can be used for third-party reporting system integrations, such as JReview. Enhancements include: if users have permissions for restricted data access, then they can configure the export to include or not include restricted data. If the export includes restricted data, then the export contents will tag which definitions and data are restricted. In addition, it includes External IDs and SDTM Names, when available, for all definitions so that end users can map to the desired label.

Business Value

Restricted data is further protected by making it optional to include it in the export contents. End users will be able to map to objects using External ID and SDTM Name. Third party systems can ingest the data with less preprocessing.

Mohammed Al-Adeeb		06/15/2020 11:34 PM PD1			
lew Job					
Туре		Frequency			
Data and Definition Export	-	Run Now	•		
Include Restricted Data					
			Cancel Run Now		
			Cancel		

Visible

Data and Definition Extract User



Data Listings with Restricted Data



Overview

Users with restricted data access will see restricted forms in the Data Listings configuration and will be able to include them in the extract.

Users without restricted data access will not be able to extract any data from restricted forms through Data Listings. Those forms will not be available in the job configuration.

Restricted files contained in the downloaded zip file will be prefixed with "RESTRICTED" to indicate that they contain restricted data.

Business Value

Restricted data is available and protected when needed to review and analyze data.

Visible

Lead Data Managers





Extract and Listings Demo





Thank you!